Indira Gandhi Medical College & Research Institute
(Government of Puducherry Institution)
Vazhudavur Road, Kathirkamam, Puducherry – 605 009 Ph :0413-2277545, Fax:0413-2277289
Email: puducherrymedicalcollege@gmail.com, Web:www.igmcri.com

No.515/IGMC&RI/Estt-Pur/A4/Microbiology/2026-27/3804 **Puducherry, the** 25 NOV 2026

Calling for Quotation

Sub: IGMC&RI – Purchase of Lab consumables for the use of Microbiology Department under NCDC-AMR fund in IGMC&RI, Puducherry – Quotations Called for - Reg.

* * *

It is proposed to purchase Lab consumables for Microbiology Department of this institute under NCDC-National Programme on AMR Containment fund. It is, therefore, requested to quote the lowest possible rates for the supply of the items as per annexure. The **Hard Copy** of the quotation shall be submitted to the **Director, IGMC&RI**, Puducherry **on or before 09.12.2026.**

Sl. No	Description	Qty
(Annexure enclosed with Specification)		

Terms and conditions:

1. **Price should be inclusive of all taxes.**
2. The rates once quoted and approved will be final and no revision in rates will be allowed
3. Supply should be made within 15 days at the risk of supplier without any deviation.
4. The quotation shall contain the GST Number, Contact Phone Number & E Mail I.D, etc.
5. The quotation cover should be properly sealed with postal address and superscribed **"Procurement of Lab consumables to the Department of Microbiology".**
6. The quotations received will be opened by 11.00 A.M on 10.12.2026.
7. The rate quoted to be valid for a period of one year.

Yours faithfully,

DIRECTOR

To:

The Programmer. IGMC&RI, Puducherry- with instruction to upload in our official Website and for compliance report.

Copy to:

1. The Medical Superintendent, IGMC&RI, Puducherry.
2. The Nodal Officer NCDC-AMR, IGMC&RI, Puducherry.
3. The Professor and Head (Microbiology), IGMC&RI, Puducherry.
4. The Officer In-charge – Pharmacy, IGMC&RI, Puducherry.
5. Notice Board.

Consumables – NCDC AMR FUND 2026-2027

	Description	Code	Pack Size	Required Quanity
1.	**Storage vials 2 mL cryovials** *[Material: PP conforming to US FDA 21 CFR, Autoclavable. Free of detectable DNase, RNase and Pyrogen]*	TARSON 523053	1000/ Pack	2 pack
2.	**Filter Tips 200 µL** *[Material: PP conforming to US FDA 21 CFR, Autoclavable. Free of detectable DNase, RNase and Pyrogen]*	TARSON 527104	1000/ Pack	1 pack
3.	Vancomycin hydrochloride – HIMEDIA 95%	PCT1114	1 Nos (5g)	1 Nos
4.	**96 Well Microplates** Size 96 wells, clear, polystyrene, flat bottom, case of 50 (10 Bulk Packs of 5), sterile, lid.	TARSON 941296	(50/ Pack)	3 Nos
5.	Cation adjusted MHB - HIMEDIA	M1657	1 Nos (500g)	1 Nos
6.	Tryptose soy broth	M011	1 Nos (500g)	1 Nos
7.	Todd-Hewitt broth- HIMEDIA	M313	1 Nos (500g)	1 Nos
8.	K.pneumoniae ATCC 700603	0784P	1 nos	1 Nos
9.	K.pneumoniae ATCC 1705	01005P	1 nos	1 Nos
10	K.pneumoniae ATCC 1706	01006P	1 nos	1 Nos
11	K.pneumoniae ATCC 2146	01060P	1 nos	1 Nos
12	E. coli NCTC 13846 (mcr^{-1} gene +ve)			
13	Human PCT(Procalcitonin) ELISA Kit - 96T ELABSCIENCE	E-EL-H1492	1 unit	1 Nos
14	L-Arginine monohydrochloride	GRM039	1 nos (100g)	1 Nos
15	Aluminium Foil • Length:- 4 meters • Width:- 300 mm • Thickness:- 11 microns	-	1 Roll / Pack	1 Pack
16	Nitrile Gloves Powder Free, Medium Size, Sleeve Length 280 mm, Compliance Standard EN 374, Pack of 100 Gloves Pack, Ambidextrous, 9.5", Beaded Cuffs to prevent roll-down; Excellent dexterity and tactile sensitivity with textured fingertips, Superior quality, AQL 1.0 (exceeds the ASTM 2.5 standard for critical defects or pinholes). These comfortable Purple Nitrile gloves are cleared for use in chemotherapy	HALYARD 55082	100/ Box	4 Box
17	Bottles, Reagent Clear Screw Neck DIN/ISO 500 mL • Complies with DIN/ISO 4796 • Autoclavable PP screw cap and pouring ring Printed with retrace code. • Specially designed PP Pouring rings for drip-free operations • Clear scale Graduation & large marking area • These complete bot tles are autoclavable & can be sterilized • These bottles are highly mechanically durable and chemical resistance	GLASSCO 274.202.03	1/ Pack	2 pack
18	**Screw Capped Test Tube with Rim,**		100/ Box	10 Box

26/10/26

26/10/26

5. Notice Board.

Consumables – NCDC AMR FUND 2026-2027

	Autoclavable ISO 10 mL Glass Tubes (13 x 100) • resistant to chemical attack and weathering • Made from ASTM E-438 Type-1 Class A, Boro 3.3 glass • With Rim EN ISO-4142 • Uniform wall Thickness • Excellent heat transfer			
19	**Test Tube with Rim, Autoclavable ISO 7 mL Glass Tubes (12 x 75)** • resistant to chemical attack and weathering • Made from ASTM E-438 Type-1 Class A, Boro 3.3 glass • With Rim EN ISO-4142 • Uniform wall Thickness • Excellent heat transfer	GLASSCO 097.215.03	100/ Box	2 Box
20	**Test Tube with Rim, Autoclavable ISO 27 mL Glass Tubes (18 x 150)** • resistant to chemical attack and weathering • Made from ASTM E-438 Type-1 Class A, Boro 3.3 glass • With Rim EN ISO-4142 • Uniform wall Thickness • Excellent heat transfer	GLASSCO 097.215.06	100/ Box	3 Box
21	Universal micro tip box 96 places 2-200 µL (Fully Autoclavable)	TARSON 524053	10/ Pack	2 pack
22	Parafilm 2" X 250	TARSON 380010	1/ Pack	1 Pack
23	Cryo Box (PP) (For 1 ml or 1.8 ml Cryo vials)	66502	4/Pack	2 Pack
24	BD BACTEC Peds Plus/F Blood culture plastic bottle	BDM 442020	50 Bottle/Box	5
25	Colistin Sulphate 10mcg Disk (HImedia)	SD297	50/vials	40
	TOTAL			

S. Srinivasan
26/10/26

Dr. SRINIVASAN.S, MD.,
Professor and Head
Department of Microbiology
Indira Gandhi Medical College &
Research Institute
Puducherry-605 009.

Malini. A
26/10/26

NODAL OFFICER
National Programme on AMR Containment
National Centre for Disease Control
Indira Gandhi Medical College & RI
Puducherry-605 009.